ROTEX AIR LITE



User friendly:

- * Complete lateral clearance of the plate
- * Automatic opening by electromagnet Reversible C shaped part & Quick Release

Optimal heat & pressure distribution Robust frame

Suitable for laser transfer applications & sublimation on textile and rigid materials Ideal for small to medium productions Manufactured in France

2-year guarantee on the machine 10-year guarantee on heating plate




Quick Release system & reversible C-shaped part















Set of plates



Nomex Cover





Z.I. de Pastabrac 11260 ESPERAZA FRANCE

Tél. +33 (0)4 68 74 05 89 Fax +33 (0)4 68 74 24 08

e-mail: contact@sefa.fr - site: www.sefa.fr

Technical characteristics

Plates size 400 x 500

Weight 81 kg

Maximal pressure 400 gr/cm²

Max temperature 220°C

Power supply 240 V

Electric power 2500 W

Amperage 11 A

Accessories



Table TAB-98 PRO / R

Strong support table for SEFA heat presses (available with castors)



Do not discard on the street

PLA-QR

Useful for precise work. Dimensions:

12 x 8 cm - 15 x 15 cm 12 x 45 cm - 25 x 30 cm



Nomex® cover HOU-50:

Heat resistant NOMEX® cover to protect the lower plate and make the threading easier



CROI-161

1 laser system to position your transfers with a greater precision. Possibility to add a second laser on the ramp.





C-shaped part

Settings



Electronics developed by Sefa

Accurate and fast regulation (PID control) for a wide range of heat transfer products: Flex, flock, sublimation, screen printing transfer.



Advanced electronics

Double timer (main + pre heat) 2 cycle counters, 3 settable programs Stop cycle function

From 0 to 570 sec (precision +/- 1%). From 0 to 220 C (precision +/- 1%). Heating time to reach 180°C: 15 min.

Dimensions

